



# JET 5★ ★ ★ ★ ★ LEGENDS

See them at your local Jet Supercentre

## JPT-310 12" x 9" Planer Thicknesser

- 307mm surfacing width, 307mm x 255mm thicknessing capacity
- Adjustable, cast iron tables with machined finish, large 45° tilting fence
- Maximum depth of cut planing 3mm, thicknessing 4.5mm
- 3 knife cutter block, 5.5m/min feed rate gives a rapid, smooth cut
- One hand operation between changing functions, fence stays on table
- 100mm diameter outlet for efficient chip extraction on both functions



*"This machine is giving me a very nice finish to my Ash with no or little sanding. It took me a lot of research before I purchased this machine but it was well worth the time as I'm really over the moon with the ease that it deals with the timber and its so easy to use when changing from planing to thicknesser"*

PG 03/11

**£1,779.95**

Code: 100396



## Heavy Duty Machine Base

- An excellent accessory to enable easy movement of heavy machinery within your workshop
- Adjustable for size
- Two fixed wheels (rear)
- Two lockable castoring wheels (front)
- Takes machines from 610mm to 860mm, up to 540kg



**£104.94**

Code: 708119

## Resharpenable HSS Planer Knives for Jet JPT-310

- Excellent results in both soft and hard woods
- Pack of 3 knives
- 310 x 25 x 3mm



**£38.45**

Code: 100386



## ADVANTAGE

Only Jet specify machine skimming of the aluminium fence for exact and accurate reference. Unlike others the fence stays in position when changing from surfacing to thicknessing - this saves time and maintains accuracy.



## Digital Thickness Display

**£24.95**

Code: 600672

- For Jet JPT-260 and JPT-310
- Makes setting height even easier



An essential machine in any workshop

**£224.94**

Code: 310483

## AFS-500 Air Filtration System

- Quietly cleans and filters the air while you work or when finished
- Filters particles at 98% 5 microns in size and 85% 1 micron in size
- 3 speed settings and 3 timer settings, remote or manual control
- Use with your dust extractor for maximum dust control
- Comes as standard with an electrostatic pre-filter and pocket filter
- Filters can be carefully vacuum cleaned




*"Excellent value for money and health benefits speak for themselves. Works equally well free standing or using the mounting kit included with the unit."*

KM 06/13



**FREE**  
Air Filter  
Mounting  
Kit worth  
**£34.96**



## Air Filter Mounting Kit

- Ceiling mounting kit for the JET air filtration units
- Four lengths of flexible stainless steel wire
- Includes screw eyes and bolt up crimps

# JTS-315 S Site Saw Bench & Extension Table Package

## JTS-315 S Site Saw Bench

- Rugged all steel site saw bench with 2mm galvanised steel table
- Legs fold up for transport, wheels and folding handles aid portability
- 315mm TCT blade gives 90mm depth of cut
- Rear extension is supplied as standard
- Sliding table for accurate cross cutting, angled or straight
- Supplied with 36T TCT blade, dust extraction hose and service tools

**£399.95**

Code: **510393**  
230V

**£409.94**

Code: **510394**  
110V



*"Just got mine - surprised just how accurate it was straight out of the box, only thing that I had to adjust was the sliding mitre gauge and that was only out by 1 degree which was down to me not aligning it properly. Only slight niggle the instruction manual is at times a little vague but overall an excellent saw for the money, and mine was fine on a standard 13 amp supply. Well done JET."*

PB 06/13

**FREE right hand  
table worth £42.95**



### Righthand Extension Table For JTS-315 S Site Saw Bench

- 550mm right hand extension table
- Gives extra support for wider boards
- Quickly detaches for machine transportation



*"This is a very quiet machine and impressively well made."*

ES 02/14

**£286.94**

Code: **700231**

**FREE**  
Clear Hose worth  
**£17.94**



Code: **200776**



## DC-950A Extractor

- Industrial quality motor and rugged build for every day use
- High performance, balanced blower impellor for vibration-free quiet operation
- Quick install collection bags for easy installation, no straps
- Four castors allow easy mobility around the workshop
- Can be upgraded with the optional Fine Filter Cartridge (700232)
- Uses waste sack size - 560 x 915mm (340068)



### Fine Filter Cartridge

**£269.94**

Code **700232**

Performance Rating 1  
or 2 (when fitted with  
Fine Filter Cartridges)



*"I have owned my Jet 14" for almost 10 years and have found it to be a great asset to my shop. I have had very few problems resawing anything to any thickness once the saw is properly set up and aligned. Blade change is easy, but then again, all things are relative. I don't think any of us enjoys bandsaw blade changing. Set up and fine tuned, it does everything that I need done very well. I would recommend this saw to anyone for it's versatility, great features, performance and price."*

WB 03/08

**NEW  
PRICE**

**£899.95**

Code: **950345**



## JWBS-14Q Bandsaw

- Width of cut 358mm, depth of cut 200mm
- Quick clamping lever to release blade tension when not in use
- Rack system for easy adjustment of the upper blade guide
- Rip fence assembly with re-saw attachment
- Precision table with polished cast iron surface
- Table easily tilts -10° to +45°
- Floor standing welded steel chassis
- 100mm dust extraction port
- Upper and lower ball bearing blade guides



# The World's most popular high quality lathes



**£299.94**


Code: **510349**

## JML-1014 Mini Wood Lathe

- 10" over bed, 14" between centres
- Cast iron lathe bed for stability and low vibration
- Years of trouble-free turning
- Hollow tailstock
- Quick release levers on tool rest and tailstock
- Motor suitable for continuous operation
- 6 spindle speeds ranging from 400 - 3,300rpm for versatility
- Spindle indexed every 15°
- Easy speed change
- Solid rubber feet
- 50mm tailstock barrel travel



Tailstock removed  
for easy access



## 500mm Bed Extension for JML1014

- Solid cast iron construction
- Adds an extra 500mm between centres capacity
- Fits Jet JML1014 mini lathe

**£74.94**

Code: **708355**



"Tremendous. Quiet, stable, accurate and just light enough to lift on and off the bench without doing oneself an injury."

David 01/14

**£724.94**

Code: **505073**

JWL-1221 VS



Ease of use: 97%, Performance:  
97%, Build quality: 95%

Mark Baker  
Woodturning 261

Value for money: 4.5/5  
Performance: 5/5

The Woodworker 01/14

5 star rating"

Andy King  
Good Woodworking 275 2013



**NEW!**

Package  
Saves  
**£49.93**

## JWL-1221VS Woodturning Lathe & Floor Stand

### JWL-1221VS Woodturning Lathe

- 12" over the bed, 21" between centres
- Fully cast iron construction with an extra wide bed, superbly stable
- Exceptionally wide range of spindle speeds, 60-4,000rpm
- Innovative ratchet style belt tensioning system, perfect every time
- Conveniently located motor controls and speed DRO
- 24 integrated indexing positions and spring loaded spindle lock
- Smooth transition between forward and reverse for easy control

### Stand for Jet JWL-1221VS Woodturning Lathe

- This substantial stand complements the JWL-1221VS lathe
- Having wide feet, it remains very stable
- It has a convenient tool storage tray built in

**£929.95**

Code: **717443**



**£4,299.95**

Code: **505216**

**NEW!**



## 2424 Short Bed Woodturning Lathe

- Heavy cast iron construction (365kg)
- Built in vacuum chucking facility
- Speed control via an inverter allows infinite speed adjustment within the machine's range
- Digital spindle speedometer
- Spindle lock
- Indexing with 48, 36 and 14 hole index stops on the spindle
- Useful storage compartment within tailstock



**BriMarc**  
TOOLS & MACHINERY

Find out more at **BriMarc.com/jetlathes**



## OES-80 CS Oscillating Edge Sander

- Sands in both the horizontal and vertical position and any angle in between
- 50 oscillations/min for a scratch-free finish
- Sturdy cast iron table can be easily moved up or down
- Rubber coated drive drum provides positive grip and maximum motor-to-belt power transfer
- Powerful motor provides hours of continual use
- Tensioning and tracking operations are simple and quick
- Main table tilts with the sanding head for use as a fence in the horizontal position
- Welded steel base increases stability and minimises operating vibration



*"This machine is great, its used daily for all sorts of things I hadn't imagined using it for. Extraction is good with a suitable extractor. Table is well machined height adjustment is a touch awkward but usable. Overall great machine that I would have no problem recommending to anybody."*

PS 09/13

**FREE**  
Sanding Belts  
with OES-80 CS  
(100 and 120 grit)

**£879.95**

Code: **310026**

### 150 x 2,260 Sanding Belts

Belt 150 x 2,260mm 120G  
Belt 150 x 2,260mm 100G  
Belt 150 x 2,260mm 80G  
Belt 150 x 2,260mm 150G  
Belt 150 x 2,260mm 180G

Code	Inc.vat
300416	£7.85
300415	£7.85
300414	£8.34
300417	£7.85
300418	£7.85



**PACKAGE SAVING**  
**£54.95!**

### DC1100A Extractor & Fine Filter Package

**£559.96**

Code: **717141**

Optional Micron  
Filter available  
(1 microns)



**£349.94**

Code: **210045**

### DC1100A Extractor

- Industrial quality motor, 1620 m<sup>3</sup>/hr airflow @ 150mm
- Unique "Vortex" cone waste separation design keeps the filter cleaner
- Choice of 1 x 150mm or 2 x 100mm inlets, easily fits most machines
- Wheeled base for mobility around the workshop
- Supplied with a 30 micron filter bag and 5 collection bags
- Uses waste sack size - 785 x 940mm (410241)



*"Great build quality for an extractor of this price range. Easily assembled in about 45 mins. I am using it with a fine filter on my panel saw. The suction is fantastic and when cutting up lots of MDF I am no longer covered in fine dust."*

CC 03/13

**£679.94**  
Code: **100459**



### 10-20 Plus Drum Sander

*So called because of its capacity; a 250mm drum (10") is open ended and with the work reversed allows for material some 500mm (20") wide to be sanded up to 75mm thick.*

- Full 500mm capacity (250mm x 2)
- Suited for use in smaller workshops
- Can be bench mounted or used with optional floor stand
- Drum made from an aluminium extrusion
- Input 1,200W motor
- Variable speed feed motor
- Height adjustment in 0.1mm increments



*"Impressed with the solidity and quietness of this machine. Stalls if you try and take things too quickly but gives a good result when properly set up - take care however in making sure the drum is truly parallel to the bed or you'll get cupping in wider components if you do a double pass. I had to do the first few pieces a second time when I realised I had this problem."*

AH 12/12



Uses cloth-backed  
belt for longevity

**£86.94**

Code: **608004**

Leg Stand